



Essential Go To Puffy Ladies' Jacket

CH7690L

Product Features:

Exterior: 1.7 oz, 100% nylon
Fill: 12.3-oz, 100% polyester
Lining: 3.2 oz, 100% polyester
Tear away label for private branding

Ladies' sizes: XS-4XL













Available Colours and PMS Colours

Textile fabric colours are subject to dye lot variation and will not be exact match to print Pantone reference













7568C

CH7690L - CH Essential® Go To Puffy Ladies' Jacket

Garment Measurements

Size	XS	S	М	L	XL	2XL	3XL	4XL
Chest - Half Measure	19"	20"	21"	22 1/2"	24"	25 1/2"	27 1/2"	29 1/2"
Chest - Full Measure	38"	40"	42"	45"	48"	52"	55"	59"
Body Length from HPS	25"	25 1/2"	26"	27"	28"	29"	29 1/2"	30"
Sleeve Length - CB	32 1/4"	32 5/8"	33"	33 1/2"	34"	34 1/2"	35"	35 1/2"

Finished measurements in inches. Refer to "How to Measure" guide for detailed information on measurement instructions.

Printing Instructions

Due to the nature of Nylon fabric, special care must be taken throughout the decoration process. Here are some tips to effectively decorate our performance products.

- Garment temperature must not exceed 290°F (143°C). Exceeding this temperature will cause the fabric to shrink, become wavy or cause dye migration.
- Dryer temperature and belt speeds must be changed accordingly for nylon fabric.
- If flashing these garments, do not exceed 1-2 seconds. Anything longer may damage the fabric as stated above.

EMBROIDERY (SUGGESTED SETTINGS)

Needle: 75/11 Sharp
Upper Tension: 90–120 g
Bobbin Tension: 18–22 g
Speed: 600–700 SPM

 \bullet Foot Pressure: –10% to –20%

• Density: Reduce 10-20% from fleece baseline

SCREEN PRINTING/HEAT TRANSFERS:

- Garment temperature must not exceed 250-290°F (120-155°C).
- Use fast fushion/low cure temperature ink to help prevent the need for a higher temperature to cure the ink.

A test sample run is recommended, especially if you have a large order or if your printer does not specialize in printing on nylon fabric.